



## PROPERTY DESCRIPTION


- Property zoned R4
- North Redmond Neighborhood
- Critical Areas:
  - Three wetlands
  - Two streams

## PROJECT DESCRIPTION


- Subdivide a 5.74 acre site into 13 single family lots
- Preliminary Plat – Type III Process
- Open Space – 67.4%
- Affordable Housing – 1 unit

# SITE PLAN

Minimum Lot Area:	7,000 square feet	4,900 square feet *
Minimum Lot Width Circle:	40 feet	40 feet
Minimum Lot Frontage:	20 feet	20 feet
Front Setback:	15 feet	15 feet
Side/Interior Setback:	5 feet/10 feet	5 feet/10 feet
Side Street Setback:	15 feet	15 feet
Rear Setback:	10 feet	10 feet
Minimum Building Separation:	15 feet	15 feet
Maximum Lot Coverage (for structures):	35 percent	35 percent
Maximum Impervious Surface Area:	60 percent	60 percent
Minimum Open Space:	20 percent	20 percent
Maximum Height of Structures:	35 feet	35 feet



# TREE PRESERVATION PLAN



**LEGEND**

- 1. EXISTING TREES TO BE PRESERVED
- 2. EXISTING TREES TO BE REMOVED
- 3. NEW TREES TO BE PLANTED
- 4. NEW TREES TO BE PLANTED - 10' DBH
- 5. NEW TREES TO BE PLANTED - 12' DBH
- 6. NEW TREES TO BE PLANTED - 14' DBH
- 7. NEW TREES TO BE PLANTED - 16' DBH
- 8. NEW TREES TO BE PLANTED - 18' DBH
- 9. NEW TREES TO BE PLANTED - 20' DBH
- 10. NEW TREES TO BE PLANTED - 22' DBH
- 11. NEW TREES TO BE PLANTED - 24' DBH
- 12. NEW TREES TO BE PLANTED - 26' DBH
- 13. NEW TREES TO BE PLANTED - 28' DBH
- 14. NEW TREES TO BE PLANTED - 30' DBH
- 15. NEW TREES TO BE PLANTED - 32' DBH
- 16. NEW TREES TO BE PLANTED - 34' DBH
- 17. NEW TREES TO BE PLANTED - 36' DBH
- 18. NEW TREES TO BE PLANTED - 38' DBH
- 19. NEW TREES TO BE PLANTED - 40' DBH
- 20. NEW TREES TO BE PLANTED - 42' DBH
- 21. NEW TREES TO BE PLANTED - 44' DBH
- 22. NEW TREES TO BE PLANTED - 46' DBH
- 23. NEW TREES TO BE PLANTED - 48' DBH
- 24. NEW TREES TO BE PLANTED - 50' DBH
- 25. NEW TREES TO BE PLANTED - 52' DBH
- 26. NEW TREES TO BE PLANTED - 54' DBH
- 27. NEW TREES TO BE PLANTED - 56' DBH
- 28. NEW TREES TO BE PLANTED - 58' DBH
- 29. NEW TREES TO BE PLANTED - 60' DBH
- 30. NEW TREES TO BE PLANTED - 62' DBH
- 31. NEW TREES TO BE PLANTED - 64' DBH
- 32. NEW TREES TO BE PLANTED - 66' DBH
- 33. NEW TREES TO BE PLANTED - 68' DBH
- 34. NEW TREES TO BE PLANTED - 70' DBH
- 35. NEW TREES TO BE PLANTED - 72' DBH
- 36. NEW TREES TO BE PLANTED - 74' DBH
- 37. NEW TREES TO BE PLANTED - 76' DBH
- 38. NEW TREES TO BE PLANTED - 78' DBH
- 39. NEW TREES TO BE PLANTED - 80' DBH
- 40. NEW TREES TO BE PLANTED - 82' DBH
- 41. NEW TREES TO BE PLANTED - 84' DBH
- 42. NEW TREES TO BE PLANTED - 86' DBH
- 43. NEW TREES TO BE PLANTED - 88' DBH
- 44. NEW TREES TO BE PLANTED - 90' DBH
- 45. NEW TREES TO BE PLANTED - 92' DBH
- 46. NEW TREES TO BE PLANTED - 94' DBH
- 47. NEW TREES TO BE PLANTED - 96' DBH
- 48. NEW TREES TO BE PLANTED - 98' DBH
- 49. NEW TREES TO BE PLANTED - 100' DBH

**NOTES**

1. ALL TREES TO BE PRESERVED SHALL BE IDENTIFIED BY A TAG OR MARKER.
2. ALL TREES TO BE REMOVED SHALL BE IDENTIFIED BY A TAG OR MARKER.
3. ALL TREES TO BE PLANTED SHALL BE IDENTIFIED BY A TAG OR MARKER.
4. ALL TREES TO BE PLANTED SHALL BE PLANTED WITHIN THE SPECIFIED TIME FRAME.
5. ALL TREES TO BE PLANTED SHALL BE PLANTED WITHIN THE SPECIFIED DISTANCE FROM THE EXISTING TREE.
6. ALL TREES TO BE PLANTED SHALL BE PLANTED WITHIN THE SPECIFIED DISTANCE FROM THE EXISTING DRIVE.
7. ALL TREES TO BE PLANTED SHALL BE PLANTED WITHIN THE SPECIFIED DISTANCE FROM THE EXISTING WALKWAY.
8. ALL TREES TO BE PLANTED SHALL BE PLANTED WITHIN THE SPECIFIED DISTANCE FROM THE EXISTING UTILITY LINES.
9. ALL TREES TO BE PLANTED SHALL BE PLANTED WITHIN THE SPECIFIED DISTANCE FROM THE EXISTING EASEMENTS.
10. ALL TREES TO BE PLANTED SHALL BE PLANTED WITHIN THE SPECIFIED DISTANCE FROM THE EXISTING PROPERTY LINES.
11. ALL TREES TO BE PLANTED SHALL BE PLANTED WITHIN THE SPECIFIED DISTANCE FROM THE EXISTING ADJACENT PROPERTY LINES.
12. ALL TREES TO BE PLANTED SHALL BE PLANTED WITHIN THE SPECIFIED DISTANCE FROM THE EXISTING ADJACENT DRIVE LINES.
13. ALL TREES TO BE PLANTED SHALL BE PLANTED WITHIN THE SPECIFIED DISTANCE FROM THE EXISTING ADJACENT WALKWAY LINES.
14. ALL TREES TO BE PLANTED SHALL BE PLANTED WITHIN THE SPECIFIED DISTANCE FROM THE EXISTING ADJACENT UTILITY LINES.
15. ALL TREES TO BE PLANTED SHALL BE PLANTED WITHIN THE SPECIFIED DISTANCE FROM THE EXISTING ADJACENT EASEMENT LINES.
16. ALL TREES TO BE PLANTED SHALL BE PLANTED WITHIN THE SPECIFIED DISTANCE FROM THE EXISTING ADJACENT PROPERTY CORNERS.
17. ALL TREES TO BE PLANTED SHALL BE PLANTED WITHIN THE SPECIFIED DISTANCE FROM THE EXISTING ADJACENT DRIVE CORNERS.
18. ALL TREES TO BE PLANTED SHALL BE PLANTED WITHIN THE SPECIFIED DISTANCE FROM THE EXISTING ADJACENT WALKWAY CORNERS.
19. ALL TREES TO BE PLANTED SHALL BE PLANTED WITHIN THE SPECIFIED DISTANCE FROM THE EXISTING ADJACENT UTILITY CORNERS.
20. ALL TREES TO BE PLANTED SHALL BE PLANTED WITHIN THE SPECIFIED DISTANCE FROM THE EXISTING ADJACENT EASEMENT CORNERS.
21. ALL TREES TO BE PLANTED SHALL BE PLANTED WITHIN THE SPECIFIED DISTANCE FROM THE EXISTING ADJACENT PROPERTY BOUNDARIES.
22. ALL TREES TO BE PLANTED SHALL BE PLANTED WITHIN THE SPECIFIED DISTANCE FROM THE EXISTING ADJACENT DRIVE BOUNDARIES.
23. ALL TREES TO BE PLANTED SHALL BE PLANTED WITHIN THE SPECIFIED DISTANCE FROM THE EXISTING ADJACENT WALKWAY BOUNDARIES.
24. ALL TREES TO BE PLANTED SHALL BE PLANTED WITHIN THE SPECIFIED DISTANCE FROM THE EXISTING ADJACENT UTILITY BOUNDARIES.
25. ALL TREES TO BE PLANTED SHALL BE PLANTED WITHIN THE SPECIFIED DISTANCE FROM THE EXISTING ADJACENT EASEMENT BOUNDARIES.
26. ALL TREES TO BE PLANTED SHALL BE PLANTED WITHIN THE SPECIFIED DISTANCE FROM THE EXISTING ADJACENT PROPERTY LINES.
27. ALL TREES TO BE PLANTED SHALL BE PLANTED WITHIN THE SPECIFIED DISTANCE FROM THE EXISTING ADJACENT DRIVE LINES.
28. ALL TREES TO BE PLANTED SHALL BE PLANTED WITHIN THE SPECIFIED DISTANCE FROM THE EXISTING ADJACENT WALKWAY LINES.
29. ALL TREES TO BE PLANTED SHALL BE PLANTED WITHIN THE SPECIFIED DISTANCE FROM THE EXISTING ADJACENT UTILITY LINES.
30. ALL TREES TO BE PLANTED SHALL BE PLANTED WITHIN THE SPECIFIED DISTANCE FROM THE EXISTING ADJACENT EASEMENT LINES.
31. ALL TREES TO BE PLANTED SHALL BE PLANTED WITHIN THE SPECIFIED DISTANCE FROM THE EXISTING ADJACENT PROPERTY CORNERS.
32. ALL TREES TO BE PLANTED SHALL BE PLANTED WITHIN THE SPECIFIED DISTANCE FROM THE EXISTING ADJACENT DRIVE CORNERS.
33. ALL TREES TO BE PLANTED SHALL BE PLANTED WITHIN THE SPECIFIED DISTANCE FROM THE EXISTING ADJACENT WALKWAY CORNERS.
34. ALL TREES TO BE PLANTED SHALL BE PLANTED WITHIN THE SPECIFIED DISTANCE FROM THE EXISTING ADJACENT UTILITY CORNERS.
35. ALL TREES TO BE PLANTED SHALL BE PLANTED WITHIN THE SPECIFIED DISTANCE FROM THE EXISTING ADJACENT EASEMENT CORNERS.
36. ALL TREES TO BE PLANTED SHALL BE PLANTED WITHIN THE SPECIFIED DISTANCE FROM THE EXISTING ADJACENT PROPERTY BOUNDARIES.
37. ALL TREES TO BE PLANTED SHALL BE PLANTED WITHIN THE SPECIFIED DISTANCE FROM THE EXISTING ADJACENT DRIVE BOUNDARIES.
38. ALL TREES TO BE PLANTED SHALL BE PLANTED WITHIN THE SPECIFIED DISTANCE FROM THE EXISTING ADJACENT WALKWAY BOUNDARIES.
39. ALL TREES TO BE PLANTED SHALL BE PLANTED WITHIN THE SPECIFIED DISTANCE FROM THE EXISTING ADJACENT UTILITY BOUNDARIES.
40. ALL TREES TO BE PLANTED SHALL BE PLANTED WITHIN THE SPECIFIED DISTANCE FROM THE EXISTING ADJACENT EASEMENT BOUNDARIES.

**SCALE: 1" = 30'**

**CORE**

**THE EXISTING PROPERTY IS OWNED BY THE EXISTING PROPERTY OWNER. THE EXISTING PROPERTY OWNER HAS GRANTED A LICENSE TO THE ARCHITECT TO PREPARE THIS PLAN. THE ARCHITECT HAS CONDUCTED A VISUAL SURVEY OF THE PROPERTY AND HAS IDENTIFIED THE TREES TO BE PRESERVED AND THE TREES TO BE PLANTED. THE ARCHITECT HAS CONDUCTED A VISUAL SURVEY OF THE PROPERTY AND HAS IDENTIFIED THE TREES TO BE PRESERVED AND THE TREES TO BE PLANTED. THE ARCHITECT HAS CONDUCTED A VISUAL SURVEY OF THE PROPERTY AND HAS IDENTIFIED THE TREES TO BE PRESERVED AND THE TREES TO BE PLANTED.**

## PROCEDURAL SUMMARY

- ⦿ Completeness
  - 10/15/2013 – Letter of completeness issued and vested date
- ⦿ The Notice of Application
  - 12/03/2013 - Comment period begins
  - 12/26/2013 - Comment period ends
- ⦿ SEPA – Exempt
- ⦿ The Notice of Public Hearing
  - 06/06/2014 - Issued

## VESTING

- Project submitted on 10/15/2013
- Project vested on 10/15/2013
- Strom also required to comply with Redmond Neighborhood Regulations

## NEIGHBORHOOD COMMENTS

- ▶ Neighborhood meeting held on January 6<sup>th</sup>, 2015
- ▶ Letter For Hearing Examiner received via e-mail 07/16/2015.
- ▶ Notice of Application comments:
  - No Comments Received.

## PLAT - DECISION CRITERIA

- Conformance with the goals, policies and plans in the Redmond Comprehensive Plan.
  - Meets the goals and policies of the Comprehensive Plan*
  - City-wide policies*
  - Neighborhood specific policies for North Redmond*
- Site Requirements for the residential zone
  - *Base density allows 23 units*
  - *Proposed density is 13 dwelling units*
- Submittal requirements
  - Meets the submittal requirements on file and deemed complete on 10/15/2013*
- Providing housing types that effectively serve the affordable housing needs of the community.
  - *Project meets this criteria -- 10% or 1 affordable unit is provided*
- Streets and Sidewalks. The proposed street system conforms to the City of Redmond's Arterial Street Plan and Neighborhood Street Plans, and is laid out in such a manner as to provide for the safe, orderly and efficient circulation of traffic.
  - *Five foot sidewalks to be provided along the extension of 159th*
  - *Sidewalks to be provided along the new local street frontage of 159th*
  - *Streets designed to meet the City's street standards*

## PLAT - DECISION CRITERIA (CONTINUED)

- The proposed preliminary subdivision will be adequately served with City approved water and sewer, and other utilities appropriate to the nature of the short subdivision
  - *Adequate public facilities – streets, fire protection, utilities and pedestrian access*
  - *New stormwater detention facility proposed*
- The proposed preliminary subdivision will be adequately served with parks, recreation and playgrounds appropriate to the nature of the short subdivision
  - *Informal recreational opportunities available throughout the site*
  - *Minimum open space required is 20%*
  - *Proposal provides 67.4% in open space with common open space areas and recreational amenities*
- The proposed preliminary subdivision will be adequately served with City approved schools and school grounds appropriate to the nature of the short subdivision.
  - *The proposed plat has been conditioned to pay school impact fees upon issuance of building permits for each single-family lot*
- The proposed preliminary subdivision will be adequately served with City approved sidewalks and safe walking conditions for students who walk to and from school appropriate to the nature of the short subdivision.
  - *The plat has been conditioned to construct a safe walking route from the development for students who walk to and from school*

## PLAT – DECISION CRITERIA (CONTINUED)

- The layout of lots, and their size and dimensions take into account topography and vegetation on the site in order that buildings may be reasonably sited, and that the least disruption of the site, topography and vegetation will result from development of the lots.
  - Development has been designed to take into account topography and vegetation and consider least disruption of the site*
- Identified hazards and limitations to development have been considered in the design of streets and lot layout to assure street and building sites are on geologically stable soil considering the stress and loads to which the soil may be subjected.
  - Proposal makes provision for considerations of hazards, critical areas and limitations*

## WILLOWS ROSE HILL NEIGHBORHOOD REGULATIONS

Neighborhood: North Redmond				
Code Citation	RZC 21.08.180	Complies	Complies as conditions	Applies at Building Permit
	Arterial Setbacks	X		X
	Building Height	X		X
	Low Impact Development	N/A		X
	Tree Preservation		X	
	Vegetation for Common Areas		X	
	Street Trees		X	
	Vegetated Treatments		X	
	Access to Wedge Subarea		N/A	
	Multiplex Housing		N/A	
	Applicability: Proposal includes two; unit attached dwelling units.		N/A	
	Density	X		
	Minimum lot size and lot division	X		
	Design	X		
	Affordable housing exception	N/A		
	Location Criteria	X		

## CONDITIONS OF APPROVAL

- so Staff recommends approval subject to conditions of approval contained in the Technical Committee Report with modifications as outlined in memo to the Hearing Examiner.

