



NOTE
 ALL HOUSES SHALL HAVE A NFPA 13D FIRE SPRINKLER SYSTEM INSTALLED
 EMERGENCY VEHICLE ACCESS EASEMENT TO BE RECORDED FOR TRACTS A, D & E WITH FINAL PLAT

UNDERGROUND UTILITY NOTE
 UNDERGROUND UTILITIES ARE SHOWN IN THE APPROXIMATE LOCATION. THERE IS NO GUARANTEE THAT ALL UTILITY LINES ARE SHOWN, OR THAT THE LOCATION, SIZE AND MATERIAL IS ACCURATE. THE CONTRACTOR SHALL UNCOVER ALL INDICATED PIPING WHERE CROSSING, INTERFERENCES, OR CONNECTIONS OCCUR PRIOR TO TRENCHING OR EXCAVATION FOR ANY PIPE OR STRUCTURES, TO DETERMINE ACTUAL LOCATIONS, SIZE AND MATERIAL. THE CONTRACTOR SHALL MAKE THE APPROPRIATE PROVISION FOR PROTECTION OF SAID FACILITIES. THE CONTRACTOR SHALL NOTIFY ONE CALL AT 8-1-1 (WASHINGTON811.COM) AND ARRANGE FOR FIELD LOCATION OF EXISTING FACILITIES BEFORE CONSTRUCTION.



SCALE: AS NOTED
 PROJECT MANAGER: GEOFF E. TAMBLE, PE
 PROJECT ENGINEER: GEOFF E. TAMBLE, PE
 DESIGNER: DOMINIQUE GABALDON
 ISSUE DATE: 5/4/2015

NO	DATE	BY	REVISIONS

FIRE PLAN
EDGEWOOD EAST
PRELIMINARY PLAT
PARCEL #2526059023
CITY OF REDMOND WASHINGTON



5/4/15
 JOB NUMBER: **14-036**
 SHEET NAME: **FP-01**
 SHT **7** OF **8**